

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

Claims 1-8. (Canceled).

---

9. (Previously Presented) An arrangement for influencing an operating state of an electronic device, comprising:

at least one operating unit;

a movable part for operating the electronic device and on which the at least one operating unit is arranged, the movable part including:

a transponder, and

a code generator;

and

a transmission and reception device connected to the electronic device and including:

a transmission unit for emitting an electromagnetic oscillation for exciting the transponder,

a reception unit for receiving and demodulating a modulated electromagnetic oscillation emitted from the transponder, and

an analysis unit for converting the demodulated electromagnetic oscillation emitted from the transponder into control instructions for influencing the operating state of the electronic device, wherein:

the code generator generates a plurality of codes to be selected via the at least one operating unit in order to modulate the electromagnetic oscillation emitted from the transponder, and

a plurality of further operating states of the electronic device is initiated by a selection of the plurality of codes.

10. (Previously Presented) The arrangement according to claim 9, wherein a radiation of the

electromagnetic oscillation for exciting the transponder and a radiation of the electromagnetic oscillation emitted from the transponder are provided in a continuous alternation.

11. (Previously Presented) The arrangement according to claim 9, wherein a range of the electromagnetic oscillation emitted from the transmission unit and a range of the electromagnetic oscillation emitted from the transponder are confined to a predefined circumference around the transmission and reception device and the movable part that is necessary for an operation of the electriconic device.

12. (Previously Presented) An apparatus for controlling an electronic device, comprising:

at least one operating unit; and

a movable part on which is arranged the at least one operating unit and including:

a transponder, and

a code generator for generating a plurality of codes to be selected via the at least one operating unit in order to modulate an electromagnetic oscillation emitted from the transponder.

13. (Previously Presented) The apparatus according to claim 12, wherein:

the at least one operating unit includes a plurality of operating elements including a plurality of pushbuttons, and

each code of the plurality of codes generated by the code generator is associated with a respective one of the plurality of operating elements.

14. (Currently Amended) An ~~[[The]]~~ apparatus for controlling an electronic device ~~according to claim 12, further comprising:~~

at least one operating unit;

a movable part on which is arranged the at least one operating unit and including:

a transponder, and

a code generator for generating a plurality of codes to be selected via the at

Appl. No. 09/381,538

Reply to Office Action of September 29, 2003

least one operating unit in order to modulate an electromagnetic oscillation emitted from the transponder; and

a further control unit for limiting one of a production and an emission of the transmitted modulated electromagnetic oscillation to a time necessary for a transfer of a selected one of the plurality of codes.

15. (Canceled).

16. (Canceled).

17. (Previously Presented) The arrangement according to claim 9, wherein the at least one operating unit includes a plurality of operating elements.

---